


Flame retardant power cable

Can effectively prevent the spread of flames

 **SHENXING CABLE GROUP**



APPLICATION




Urban electricity



Household electricity



Engineering electricity



High power consumption



Fire retardant



Safe & reliable



Cost savings



Long service life

ZR-VV Copper core PVC insulated PVC sheathed flame retardant power cable

Conductor: **99.99%**Oxygen-free copper

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Rated voltage: UO/U 0.6/1kV

Number of cores: 1、2、3、4、5、3+1、4+1、3+2

Accept Customization



ZR-VLV Aluminum core PVC insulated PVC sheathed flame retardant power cable

Conductor: **99.99%**Aluminum

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Rated voltage: UO/U 0.6/1kV

Number of cores: 1、2、3、4、5、3+1、4+1、3+2

Accept Customization



ZR-VV22Copper core PVC insulated steel tape armored PVC sheathed flame retardant power cable

Conductor: **99.99%**Oxygen-free copper

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Aarmor: Double steel belt

Rated voltage: UO/U 0.6/1kV

Number of cores: 1、2、3、4、5、3+1、4+1、3+2

Accept Customization



Web: <https://www.sxcables.com> **Email:** sales@sxcables.com **Tel:** +86 15127180862

Flame retardant power cable

Can effectively prevent the spread of flames

 **SHENXING CABLE GROUP**



ZR-VLV22 Aluminum core PVC insulated steel tape armored PVC sheathed flame retardant power cable

Conductor: 99.99%Oxygen-free aluminum

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Aarmor: Double steel belt

Rated voltage: UO/U 0.6/1kV

Number of cores: 1、2、3、4、5、3+1、4+1、3+2

Accept Customization



ZR-YJV Copper core XLPE insulated PVC sheathed flame retardant power cable

Conductor: 99.99%Oxygen-free copper

Insulation: Flame retardant XLPE


Jacket: Flame retardant PVC

0.6/1kV Number of cores: 1、2、3、4、5、3+1、4+1、3+2

6-35kV Number of cores: 1、3

35-220KV Number of cores: 1

Accept Customization



ZR-YJLV Aluminum core XLPE insulated PVC sheathed flame retardant power cable

Conductor: 99.99%Oxygen-free aluminum

Insulation: Flame retardant XLPE

Jacket: Flame retardant PVC

0.6/1kV Number of cores: 1、2、3、4、5、3+1、4+1、3+2

6-35kV Number of cores: 1、3


35-220KV Number of cores: 1

Accept Customization



Flame retardant power cable

Can effectively prevent the spread of flames



ZR-YJV22 Copper core XLPE insulated steel tape armored PVC sheathed flame retardant power cable

Conductor: 99.99%Oxygen-free aluminum

Insulation: Flame retardant XLPE

Jacket: Flame retardant PVC

Aarmor: Double steel belt

0.6/1kV Number of cores: 1、 2、 3、 4、 5、 3+1、 4+1、 3+2

6-35kV Number of cores: 1、 3

35-220KV Number of cores: 1

Accept Customization



ZR-YJLV22 Aluminum core XLPE insulated steel tape armored PVC sheathed flame retardant power cable

Conductor: 99.99%Oxygen-free aluminum

Insulation: Flame retardant XLPE

Jacket: Flame retardant PVC

Aarmor: Double steel belt

0.6/1kV Number of cores: 1、 2、 3、 4、 5、 3+1、 4+1、 3+2

6-35kV Number of cores: 1、 3

35-220KV Number of cores: 1

Accept Customization



ZR-BV Copper core PVC insulated flame retardant cable


Conductor: 99.99%Oxygen-free copper

Insulation: Flame retardant PVC

Rated voltage: UO/U 450/750V

Number of cores: 1

Accept Customization



ZR-BLV Aluminum core PVC insulated flame retardant cable

Conductor: 99.99%Oxygen-free aluminum

Insulation: Flame retardant PVC

Rated voltage: UO/U 450/750V

Number of cores: 1


Accept Customization



Flame retardant power cable

Can effectively prevent the spread of flames

 **SHENXING CABLE GROUP**



ZR-BVV Copper core PVC insulated PVC sheathed flame retardant cable

Conductor: 99.99%Oxygen-free copper


Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Rated voltage: UO/U 300/500V

Number of cores: 2、3、4、5

Accept Customization



ZR-BLVV Aluminum core PVC insulated PVC sheathed flame retardant cable

Conductor: 99.99%Oxygen-free aluminum


Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Rated voltage: UO/U 300/500V

Number of cores: 2、3、4、5

Accept Customization



ZR-KVV Copper core PVC insulated PVC sheathed flame retardant control cable

Conductor: 99.99%Oxygen-free copper

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Rated voltage: UO/U 450/750V

Number of cores: 2-61

Accept Customization



ZR-KVVP Copper core PVC insulated PVC sheathed braided shield flame retardant control cable

Conductor: 99.99%Oxygen-free copper

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Shield: Copper wire

Rated voltage: UO/U 450/750V

Number of cores: 2-61


Accept Customization



Flame retardant power cable

Can effectively prevent the spread of flames

 **SHENXING CABLE GROUP**



ZR-KVVP2 Copper core PVC insulated PVC sheathed copper tape shielded flame retardant control cable

Conductor: 99.99%Oxygen-free copper

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Shielding: Copper tape

Rated voltage: UO/U 450/750V

Number of cores: 4-61

Accept Customization



ZR-KVV22 Copper core PVC insulated PVC sheathed steel tape armored flame retardant control cable

Conductor: 99.99%Oxygen-free copper

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Aarmor: Steel tape

Rated voltage: UO/U 450/750V

Number of cores: 4-61

Accept Customization



ZR-KVVR Copper core PVC insulated PVC sheathed flame retardant control soft cable

Conductor: 99.99%Oxygen-free copper

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Rated voltage: UO/U 450/750V

Number of cores: 2-61

Accept Customization



ZR-KVVRP Copper core PVC insulated PVC sheathed braided shielded flame retardant control soft cable

Conductor: 99.99%Oxygen-free copper

Insulation: Flame retardant PVC

Jacket: Flame retardant PVC

Shield: Copper wire

Rated voltage: UO/U 450/750V

Number of cores: 2-61

Accept Customization

